

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**Page 1 of 7

PATENT NO. : 6981700 B2

APPLICATION NO.: 10/679027

ISSUE DATE : January 3, 2006

INVENTOR(S) : Syed et al

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The entire section of the "Brief Summary of the Invention", Column 4, Row 64 through Column 9, Row 18 should be deleted and the attached "Brief Summary of the Invention" should be inserted, pursuant to the Preliminary Amendment that was filed on October 16, 2003. Therefore no new material is being added.

**MAILING ADDRESS OF SENDER (Please do not use customer number below):**

Dwight A. Stauffer  
1006 Montford Road  
Cleveland Hts., Ohio 44121

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*

## BRIEF SUMMARY OF THE INVENTION

According to the invention a first aspect of a method is disclosed for playing a strategic board game wherein the game is played by two or more players on a game board that is gridded to designate spaces such that a quantity of pieces that are identifiable as belonging to each of the two or more players are positioned within, and moved among, the spaces; the method comprising the steps of: requiring that the two or more players take turns for being an active player that is allowed to move one or more of the active player's pieces; allowing the active player to move or position the active player's pieces in a way that manipulates by pushing or pulling an opposing player's pieces, wherein the opposing player's pieces are pieces that belong to an opposing player that is one of the two or more players other than the active player; and wherein: pushing is a push move that comprises using a one of the active player's pieces to push a one of the opposing player's pieces out of a first space and into a second unoccupied space, and then moving the one of the active player's pieces into the first space; and pulling is a pull move that comprises moving a one of the active player's pieces out of a third space and into a fourth unoccupied space, and then using the one of the active player's pieces to pull a one of the opposing player's pieces into the third space.

According to the invention, the step of manipulating the opposing player's pieces further comprises the step of using a one of the active player's pieces to freeze a one of the opposing player's pieces, thereby preventing movement of the one of the opposing player's pieces by the opposing player.

According to the invention, the first aspect of the method further comprises the step of providing means for any one of the two or more players to protect a piece that belongs to the one of the two or more players; such that protecting a one piece unfreezes or otherwise prevents freezing of the one piece.

According to the invention, the game board further comprises one or more spaces that are designated as trap spaces; and the first aspect of the method further comprises the step of removing from the game a piece that is moved into a one of the one or more trap spaces. The first aspect of the method even further comprises the step of providing means for any one of the two or more players to protect a piece that belongs to the one of the two or more players; such that protecting a one piece prevents removal of the one piece when the one piece is in a one of the one or more trap spaces.

According to the invention, the first aspect of the method further comprises the step of limiting the step of manipulating the opposing player's pieces such that a one of the active player's pieces manipulates only a one of the opposing player's pieces that is in a space that is adjacent to the one of the active player's pieces.

According to the invention, the first aspect of the method further comprises the steps of assigning a type to each one of the quantity of pieces belonging to each of the two or more players, wherein there are at least two varieties of type; predetermining a strength value for each one of the at least two varieties of type, wherein the strength value is selected from a hierarchy of strength values from weak to strong, such that when a first piece having a first type with a first strength value is compared to a second piece having a second type with a second strength value, if the first strength value is stronger than the second strength value, then the first piece is a stronger piece relative to the second piece which is a weaker piece relative to the first piece; and allowing only stronger pieces to manipulate weaker pieces. Furthermore, wherein the game board comprises a rectangular array of orthogonally adjacent spaces arranged in rows and columns; the first aspect of the method further comprises the steps of: assigning a first row, a second row, and a goal row for each one of the two or more players; during the first turn of the game each active player determining an initial setup for the active player's pieces wherein the active player's pieces are arranged in the spaces within the active player's first row and second row; and completing an instance of playing the strategic board game wherein one of the two or more players wins by being the first one of the two or more players to move a one of the winning player's weakest pieces to the goal row assigned to the winning player.

According to the invention, the first aspect of the method further comprises the steps of: during one turn, allowing the active player to move or cause to move one or more of the pieces a total of one to four turn steps, wherein a turn step comprises a piece being moved from one space to any adjacent unoccupied space; determining that a push move or a pull move uses two of the turn steps in a turn; and requiring that a push move or a pull move must be completed within one turn. Furthermore, wherein the game board comprises a rectangular array of orthogonally adjacent spaces arranged in rows and columns; the first aspect of the method further comprises the step of defining adjacent spaces as spaces that are orthogonally adjacent, row-wise or column-wise.

According to the invention, the first aspect of the method further comprises the step of

requiring that a first push move or pull move must be completed before a second push move or pull move can be performed.

According to the invention, a second aspect of a method is disclosed for playing a strategic board game wherein the game is played by two or more players on a game board that is gridded to designate spaces such that a quantity of pieces that are identifiable as belonging to each of the two or more players are positioned within, and moved among, the spaces; the method comprising the steps of: requiring that the two or more players take turns for being an active player that is allowed to move one or more of the active player's pieces; and allowing the active player to move or position the active player's pieces in a way that manipulates by using a one of the active player's pieces to freeze a one of the opposing player's pieces, thereby preventing movement of the one of the opposing player's pieces by the opposing player.

According to the invention, the second aspect of the method further comprises the step of providing means for any one of the two or more players to protect a piece that belongs to the one of the two or more players; such that protecting a one piece unfreezes or otherwise prevents freezing of the one piece.

According to the second aspect of the method of the invention, the step of manipulating the opposing player's pieces further comprises the steps of: pushing or pulling an opposing player's pieces, wherein the opposing player's pieces are pieces that belong to an opposing player that is one of the two or more players other than the active player; and wherein: pushing is a push move that comprises using a one of the active player's pieces to push a one of the opposing player's pieces out of a first space and into a second unoccupied space, and then moving the one of the active player's pieces into the first space; and pulling is a pull move that comprises moving a one of the active player's pieces out of a third space and into a fourth unoccupied space, and then using the one of the active player's pieces to pull a one of the opposing player's pieces into the third space.

According to the second aspect of the method of the invention, wherein the game board further comprises one or more spaces that are designated as trap spaces; the method further comprises the step of removing from the game a piece that is moved into a one of the one or more trap spaces. The second aspect of the method even further comprises the step of providing means for any one of the two or more players to protect a piece that belongs to the one of the two or more players; such that protecting a one piece prevents removal of the one piece when the one

piece is in a one of the one or more trap spaces.

According to the invention, the second aspect of the method further comprises the step of limiting the step of manipulating the opposing player's pieces such that a one of the active player's pieces manipulates only a one of the opposing player's pieces that is in a space that is adjacent to the one of the active player's pieces.

According to the invention, the second aspect of the method further comprises the steps of assigning a type to each one of the quantity of pieces belonging to each of the two or more players, wherein there are at least two varieties of type; predetermining a strength value for each one of the at least two varieties of type, wherein the strength value is selected from a hierarchy of strength values from weak to strong, such that when a first piece having a first type with a first strength value is compared to a second piece having a second type with a second strength value, if the first strength value is stronger than the second strength value, then the first piece is a stronger piece relative to the second piece which is a weaker piece relative to the first piece; and allowing only stronger pieces to manipulate weaker pieces. Furthermore, wherein the game board comprises a rectangular array of orthogonally adjacent spaces arranged in rows and columns; the second aspect of the method further comprises the steps of: assigning a first row, a second row, and a goal row for each one of the two or more players; during the first turn of the game, each active player determining an initial setup for the active player's pieces wherein the active player's pieces are arranged in the spaces within the active player's first row and second row; and completing an instance of playing the strategic board game wherein one of the two or more players wins by being the first one of the two or more players to move a one of the winning player's weakest pieces to the goal row assigned to the winning player.

According to the invention, the second aspect of the method further comprises the step of: during one turn, allowing the active player to move or cause to move one or more of the pieces a total of one to four turn steps, wherein a turn step comprises a piece being moved from one space to any adjacent unoccupied space.

According to the second aspect of the inventive method, wherein the game board comprises a rectangular array of orthogonally adjacent spaces arranged in rows and columns; the second aspect of the method further comprises the step of defining adjacent spaces as spaces that are orthogonally adjacent, row-wise or column-wise.

According to the invention, a third aspect of a method for playing a strategic board game

is disclosed wherein the game is played by two or more players on a game board that is gridded to designate spaces such that a quantity of pieces that are identifiable as belonging to each of the two or more players are positioned within, and moved among, the spaces; the third aspect of the method comprising the steps of: designating one or more spaces as trap spaces; and removing from the game a piece that is moved into a one of the one or more trap spaces.

According to the invention, the third aspect of the method further comprises the step of providing means for any one of the two or more players to protect a piece that belongs to the one of the two or more players; such that protecting a one piece prevents removal of the one piece when the one piece is in a one of the one or more trap spaces.

According to the invention, a fourth aspect of a method for playing a strategic board game is disclosed wherein the game is played by two or more players on a game board that is gridded to form a rectangular array of orthogonally adjacent spaces arranged in rows and columns such that a quantity of pieces that are identifiable as belonging to each of the two or more players are positioned within, and moved among, the spaces; the fourth aspect of the method comprising the steps of: assigning a type to each one of the quantity of pieces belonging to each of the two or more players, wherein there are at least two varieties of type; predetermining a strength value for each one of the at least two varieties of type, wherein the strength value is selected from a hierarchy of strength values from weak to strong, such that when a first piece having a first type with a first strength value is compared to a second piece having a second type with a second strength value, if the first strength value is stronger than the second strength value, then the first piece is a stronger piece relative to the second piece which is a weaker piece relative to the first piece; assigning a first row, a second row, and a goal row for each one of the two or more players; requiring that the two or more players take turns for being an active player that is allowed to move one or more of the active player's pieces; during the first turn of the game, each active player determining an initial setup for the active player's pieces wherein the active player's pieces are arranged in the spaces within the active player's first row and second row; and completing an instance of playing the strategic board game wherein one of the two or more players wins by being the first one of the two or more players to move a one of the winning player's weakest pieces to the goal row assigned to the winning player.

According to the invention, a strategic board game apparatus for playing a strategic board game by two or more players is disclosed, the apparatus comprising: a game board that is

gridded to designate an array of spaces; a quantity of pieces that are identifiable as belonging to each of the two or more players, wherein the pieces can be positioned within, and moved among, the spaces; and one or more spaces that are identifiable as trap spaces for removing from the game a piece that is moved into a one of the one or more trap spaces.

Further according to the invention, the game board comprises a rectangular array of orthogonally adjacent spaces arranged in rows and columns. Furthermore, a type is assigned to each one of the quantity of pieces belonging to each of the two or more players, wherein there are at least two varieties of type; a strength value is predetermined for each one of the at least two varieties of type, wherein the strength value is selected from a hierarchy of strength values from weak to strong, such that when a first piece having a first type with a first strength value is compared to a second piece having a second type with a second strength value, if the first strength value is stronger than the second strength value, then the first piece is a stronger piece relative to the second piece which is a weaker piece relative to the first piece; and a first row, a second row, and a goal row are assigned for each one of the two or more players; such that an initial setup of pieces comprises positioning pieces within the first row and the second row, and an instance of the game is won by moving a designated type of piece to the goal row.

Other objects, features and advantages of the invention will become apparent in light of the following description thereof.